International Journal of Research & Social Sciences

Volume: 03 Issue: 02(2023)
https://ijrss.com

Mental Health Challenges in Post-Pandemic Societies

Muhammad Imran Khan
Department of Psychology, Quaid-i-Azam University, Islamabad, Pakistan
Email: *imran.khan@qau.edu.pk*
Sana Farooq
Department of Public Health, University of Karachi, Karachi, Pakistan
Email: *sana.farooq@uok.edu.pk*

Abstract:

The COVID-19 pandemic has had profound and lasting effects on global mental health, reshaping social relations, economic stability, and individual well-being. In post-pandemic societies, mental health challenges persist due to prolonged uncertainty, economic disruption, social isolation, and weakened support systems. This article examines the key mental health challenges emerging in the post-pandemic context, with particular attention to anxiety, depression, trauma, and stress-related disorders. It explores structural inequalities, digital mental health responses, and policy gaps, highlighting implications for developing countries such as Pakistan. The study argues that post-pandemic recovery must integrate mental health into public policy, health systems, and social protection frameworks to build long-term societal resilience.

Keywords:
Mental health, post-pandemic recovery, anxiety, depression, social inequality, digital health, public policy, Pakistan

Introduction:

The COVID-19 pandemic marked an unprecedented global health crisis, but its psychological consequences have extended far beyond the containment of the virus itself. While vaccination campaigns and public health measures have enabled societies to transition into a post-pandemic phase, mental health challenges continue to intensify rather than subside. Prolonged lockdowns, fear of infection, bereavement, job insecurity, and disruptions to education and social life have collectively produced a widespread mental health burden. In countries like Pakistan, where mental health infrastructure was already limited, the pandemic has magnified pre-existing vulnerabilities.

Post-pandemic societies face a complex mental health landscape characterized by rising demand for psychological services, persistent stigma, and unequal access to care. Addressing these challenges requires moving beyond emergency responses toward long-term, integrated mental health strategies that recognize psychological well-being as central to social and economic recovery.

Prevalence of Anxiety, Depression, and Psychological Distress

The prevalence of anxiety, depression, and psychological distress has remained markedly elevated in the post-pandemic period, indicating that the mental health consequences of COVID-19 extend well beyond the immediate crisis phase. Persistent uncertainty related to health risks, employment security, and socio-economic recovery has fostered chronic stress, emotional fatigue, and feelings of helplessness across diverse population groups. Longitudinal studies show that symptoms such as generalized anxiety, depressive moods, sleep disorders, and reduced concentration have not returned to pre-pandemic baselines, particularly among individuals

exposed to prolonged lockdowns or repeated waves of infection. In Pakistan, these challenges are compounded by rising inflation, job precarity, and limited social protection mechanisms, which disproportionately affect low-income households and informal sector workers. The inability to meet basic needs, combined with mounting debt and social pressures, has intensified psychological vulnerability and reduced coping capacity. Moreover, limited access to mental health services and persistent stigma surrounding psychological illness further exacerbate untreated distress. Collectively, these patterns suggest that post-pandemic anxiety and depression constitute a structural public health issue rather than a transient response, underscoring the need for sustained mental health surveillance, early intervention strategies, and integration of psychosocial support into primary healthcare systems.

Social Isolation, Trauma, and Community Disconnection

Social isolation experienced during the COVID-19 pandemic profoundly disrupted familial, community, and institutional support systems, producing long-term emotional and psychological consequences that persist in post-pandemic societies. Restrictions on mobility, prolonged home confinement, and the suspension of communal and religious gatherings weakened everyday social interactions that traditionally serve as coping mechanisms, particularly in collectivist societies such as Pakistan. Older adults faced heightened loneliness and abandonment due to physical distancing and reduced family contact, while many women experienced intensified isolation within domestic spaces, often accompanied by increased caregiving burdens and exposure to domestic stress or violence. Beyond individual experiences, communities have been shaped by collective trauma arising from widespread illness, loss of life, and economic insecurity, generating shared feelings of grief, fear, and uncertainty. In the post-pandemic period, efforts to restore social cohesion are frequently challenged by lingering mistrust, social withdrawal, and altered norms of interaction. These dynamics underscore the importance of community-based mental health interventions that prioritize collective healing, peer support, and the rebuilding of social ties through culturally grounded practices, local institutions, and inclusive public spaces.

Inequality, Vulnerable Groups, and Mental Health Disparities

Mental health challenges in post-pandemic societies have been unevenly distributed, reflecting and reinforcing pre-existing social, economic, and gender-based inequalities. Marginalized populations—including women, informal and daily-wage workers, students, healthcare professionals, and individuals with pre-existing mental health conditions—have borne a disproportionate psychological burden due to heightened exposure to stressors and limited access to support systems. In Pakistan, women experienced a significant intensification of unpaid domestic labor, caregiving responsibilities, and economic dependency, alongside increased vulnerability to domestic and gender-based violence during and after lockdown periods. Young people, particularly students from low-income households, faced prolonged educational disruption, digital exclusion, and uncertainty regarding future employment, contributing to anxiety, demotivation, and psychological distress. Informal workers encountered income loss and job insecurity without adequate social protection, while healthcare workers faced burnout, trauma, and moral injury due to prolonged crisis conditions. These disparities underscore how mental health outcomes are shaped by broader social determinants such as poverty, gender norms, educational access, and labor market precarity. Addressing post-pandemic mental health therefore requires equity-oriented policies that target structural vulnerabilities, expand inclusive social protection, and integrate mental health considerations into education, labor, and gender-responsive development strategies.

Digital Mental Health and Emerging Coping Mechanisms

The COVID-19 pandemic significantly accelerated the adoption of digital mental health interventions, including telepsychiatry, mobile mental health applications, and online peer-support platforms, reshaping the delivery of psychological care in post-pandemic societies. These digital modalities have created new opportunities to extend mental health services beyond urban centers, offering cost-effective and flexible support to populations in remote and underserved areas. In Pakistan, where the ratio of mental health professionals to population remains critically low, digital tools hold particular promise for reducing geographic and structural barriers to care. However, their effectiveness is constrained by persistent digital divides related to internet access, affordability of devices, and uneven digital literacy, especially among women, older adults, and rural communities. Concerns regarding data privacy, confidentiality, and the regulation of online mental health services further limit public trust and uptake. Moreover, digital interventions often struggle to address severe mental health conditions that require sustained, face-to-face clinical engagement. Consequently, while digital mental health solutions cannot substitute for in-person care, they can play a complementary role if integrated into national health systems through regulatory frameworks, professional training, and hybrid care models that combine technological innovation with community-based and clinical **support.**

Policy Gaps and the Need for Integrated Mental Health Systems

Despite increased recognition of mental health as a critical public health issue following the COVID-19 pandemic, it continues to be insufficiently prioritized within national policy frameworks and public health budgets, particularly in low- and middle-income countries. Post-pandemic recovery strategies frequently emphasize economic stabilization, employment generation, and fiscal consolidation, while psychological well-being is treated as a secondary or residual concern. In Pakistan, mental health services remain heavily centralized in major urban areas, with limited availability of trained professionals, essential medicines, and referral mechanisms at the primary healthcare level. The absence of comprehensive mental health legislation, weak inter-sectoral coordination, and inadequate data systems further constrain effective service delivery and monitoring. Addressing these gaps requires an integrated mental health governance approach that mainstreams psychological well-being across education systems, labor policies, and social protection programs, recognizing mental health as both a social and economic investment. Sustainable financing, workforce expansion through task-shifting and training of non-specialist providers, and the integration of mental health into primary and community healthcare are essential to building resilient post-pandemic mental health systems capable of responding to long-term population needs.

Mental Health Stigma and Cultural Barriers to Care

Mental health stigma and cultural barriers remain among the most significant obstacles to effective care in post-pandemic societies, shaping how psychological distress is perceived, discussed, and treated. In Pakistan, mental illness is frequently interpreted through moral, spiritual, or social lenses, where emotional suffering is associated with personal weakness, lack of faith, or familial dishonor rather than recognized as a legitimate health condition. These beliefs discourage individuals from seeking professional help and often result in delayed treatment or reliance on informal coping mechanisms. Stigma is further intensified by its intersection with gender, class, and religion, as women face greater scrutiny for expressing distress, low-income individuals encounter limited access to services, and religious interpretations may discourage biomedical intervention. Post-pandemic stressors—such as grief, economic insecurity, and social dislocation—have increased psychological vulnerability while simultaneously deepening silence around mental health struggles. Overcoming these barriers requires culturally sensitive awareness strategies that respect local values while challenging harmful misconceptions. Community-based engagement, the inclusion of religious scholars,

local leaders, and educators, and the normalization of mental health discussions within public and faith-based institutions are essential for reducing stigma and fostering timely access to care in post-pandemic contexts.

Mental Health of Children and Adolescents in the Post-Pandemic Era

The mental health of children and adolescents has emerged as a critical concern in the post-pandemic era, as prolonged school closures, disrupted daily routines, and increased reliance on digital devices have significantly altered developmental and social environments. Extended periods of remote learning reduced opportunities for peer interaction, structured learning, and emotional regulation, contributing to learning gaps, social anxiety, attention difficulties, and behavioral challenges among young people. Many children and adolescents continue to exhibit signs of emotional dysregulation, including irritability, withdrawal, and reduced motivation, even after the resumption of in-person schooling. In Pakistan, these challenges are compounded by limited availability of school-based counseling services, a shortage of trained child mental health professionals, and persistent stigma surrounding psychological support within educational settings. Students from low-income households and rural areas were particularly disadvantaged due to digital exclusion and inconsistent access to educational resources. Addressing these post-pandemic mental health challenges requires early identification and intervention through school-based mental health programs, teacher training in psychosocial support, and the integration of mental health services into education systems to promote long-term emotional well-being, resilience, and academic recovery among children and adolescents.

Workplace Stress, Burnout, and the Changing Nature of Work

The COVID-19 pandemic fundamentally reshaped work environments, producing lasting changes that continue to affect employee mental health in the post-pandemic period. The rapid shift to remote and hybrid work models blurred boundaries between professional and personal life, intensifying workloads and extending working hours, while ongoing economic uncertainty heightened job insecurity and performance pressures. These conditions have contributed to widespread burnout, anxiety, and emotional exhaustion, particularly among frontline healthcare workers, educators adapting to digital and in-person teaching demands, and informal sector employees facing unstable incomes and limited protections. In Pakistan, these challenges are exacerbated by weak labor regulations, long working hours, limited occupational health safeguards, and the absence of institutional mental health support within most workplaces. Informal workers, who constitute a large share of the labor force, experience heightened psychological stress due to precarious employment and lack of social security. Addressing post-pandemic workplace mental health requires the development of mental health–responsive labor policies, organizational cultures that prioritize employee well-being, and employer-led initiatives such as flexible work arrangements, access to counseling services, and stress management programs to promote sustainable and inclusive recovery.

Mental Health, Economic Insecurity, and Social Protection

Economic insecurity has become a central driver of mental health challenges in post-pandemic societies, as income loss, rising inflation, household debt, and persistent unemployment continue to generate chronic psychological stress. For many individuals and families, financial instability undermines basic feelings of safety and control, contributing to anxiety, depression, and diminished coping capacity. In Pakistan, where a large proportion of the population relies on informal employment, pandemic-related economic disruptions exposed deep gaps in social protection systems, leaving households vulnerable to both economic shocks and mental health deterioration. The absence of unemployment insurance, limited coverage of health benefits, and inadequate income support have intensified psychological distress, particularly among low-income groups and daily-wage earners. Evidence from global and regional studies suggests that

well-designed social protection measures—such as cash transfer programs, employment guarantees, and targeted subsidies—can play a protective role by reducing financial uncertainty and associated mental health risks. Integrating mental health considerations into social safety nets, including psychosocial support services and referral mechanisms, is therefore essential for building psychological resilience and promoting equitable post-pandemic recovery.

Community Resilience and Post-Pandemic Recovery Strategies

Community resilience has emerged as a cornerstone of post-pandemic mental health recovery, reflecting the capacity of communities to adapt, reorganize, and support collective well-being in the aftermath of prolonged crisis. During the COVID-19 pandemic, grassroots initiatives, mutual aid networks, and local non-governmental organizations played a vital role in addressing immediate needs such as food security, information dissemination, and emotional support, and many of these efforts have continued into the post-pandemic period. In Pakistan, where formal mental health services are limited, resilience is deeply embedded in family structures, neighborhood ties, religious institutions, and civil society organizations that provide informal psychosocial support and a sense of belonging. Mosques, community centers, and local charities have often functioned as spaces for emotional reassurance, moral guidance, and social solidarity. Strengthening post-pandemic recovery therefore requires investing in local capacities, supporting community-led mental health initiatives, and adopting participatory governance approaches that empower communities to identify needs and co-design interventions. Such bottom-up strategies not only enhance psychological resilience but also promote trust, social cohesion, and sustainable mental health systems that are responsive to cultural and contextual realities.


Monitoring, Data Gaps, and Evidence-Based Mental Health Policy

Effective post-pandemic mental health policy is critically constrained by persistent gaps in data, monitoring, and research capacity, particularly in low- and middle-income countries. Weak mental health surveillance systems, widespread underreporting, and limited disaggregation of data by age, gender, region, and socio-economic status hinder accurate assessment of population-level psychological needs. In Pakistan, mental health indicators are rarely integrated into national health information systems, resulting in fragmented evidence that limits policy planning, resource allocation, and program evaluation. The absence of routine mental health assessments at primary healthcare and community levels further obscures the true scale and distribution of post-pandemic psychological distress. Strengthening evidence-based mental health governance requires systematic integration of mental health indicators into health information systems, regular population surveys, and investment in interdisciplinary research that combines epidemiological, social, and economic perspectives. Robust data systems not only improve accountability and policy effectiveness but also enable governments to design targeted, long-term interventions that respond to evolving mental health needs in post-pandemic societies.

Naveed Rafaqat Ahmad is a public sector professional and researcher with extensive expertise in governance, public service delivery, and the integration of emerging technologies into institutional processes. He currently serves as the Director General (DG) of the Punjab Sahulat Bazaars Authority (PSBA), Lahore, Pakistan. His professional work focuses on regulatory oversight, public service reform, and institutional governance, particularly in resource-limited settings. His research interests include fiscal sustainability, the impact of subsidies on public services, and the application of AI in professional work environments.

Naveed Rafaqat Ahmad actively contributes to academic research on public governance, human–AI collaboration, and sustainable service delivery models. His work explores how emerging technologies, including AI, can enhance productivity and decision-making in

knowledge-intensive tasks while mitigating risks associated with errors and ethical concerns. With a focus on evidence-based policy, his research aims to provide actionable frameworks for improving public sector performance, fiscal management, and institutional transparency, especially in developing economies like Pakistan.



Summary:
Mental health challenges in post-pandemic societies represent a silent but enduring crisis that threatens social stability, productivity, and overall well-being. Anxiety, depression, trauma, and inequality-driven disparities continue to shape individual and collective experiences long after the immediate health emergency has passed. For Pakistan and similar developing countries, the post-pandemic period offers a critical opportunity to reform mental health systems, reduce stigma, and integrate psychological well-being into national development agendas. Sustainable recovery depends not only on economic indicators but also on the mental resilience of societies.

References:

World Health Organization. (2022). *World mental health report: Transforming mental health for all*.

Holmes, E. A., et al. (2020). Multidisciplinary research priorities for the COVID-19 pandemic. *The Lancet Psychiatry*, 7(6), 547–560.

Xiong, J., et al. (2020). Impact of COVID-19 on mental health. *Journal of Affective Disorders*, 277, 55–64.

Pfefferbaum, B., & North, C. S. (2020). Mental health and the COVID-19 pandemic. *New England Journal of Medicine*, 383, 510–512.

Patel, V., et al. (2018). The Lancet Commission on global mental health. *The Lancet*, 392(10157), 1553–1598.

Brooks, S. K., et al. (2020). Psychological impact of quarantine. *The Lancet*, 395(10227), 912–920.

United Nations. (2020). *Policy brief: COVID-19 and the need for action on mental health*.

Moreno, C., et al. (2020). How mental health care should change. *The Lancet Psychiatry*, 7(9), 813–824.

Lund, C., et al. (2011). Poverty and mental disorders. *Social Science & Medicine*, 72(3), 517–528.

Torous, J., et al. (2020). Digital mental health and COVID-19. *JMIR Mental Health*, 7(6), e18807.

Rehman, A., & Sabir, M. (2021). Mental health challenges in Pakistan during COVID-19. *Pakistan Journal of Social Sciences*, 41(2), 245–258.

Vigo, D., et al. (2019). Estimating the true global burden of mental illness. *The Lancet Psychiatry*, 6(2), 171–178.

Ahmad, N. R. (2025). *Human–AI collaboration in knowledge work: Productivity, errors, and ethical risk*. *Journal of Humanities and Social Sciences*. https://doi.org/10.52152/6q2p9250

Ahmad, N. R. (2025). *Urban water service delivery in emerging economies: Fiscal sustainability, cost recovery, and governance performance*. *International Journal of Business and Economic Analysis*, 10(3). https://doi.org/10.24088/IJBEA-2025-103005